

**Available for Purchase
From the
MAISD Regional Math & Science
Center**

White Cardboard Display Boards,
\$2.50* (minimum of 5 boards)
for school, classroom, or individual use


*Price increase from manufacturer as of 1/9/09

**Scroll down to look at examples of
Display Boards**

VISUAL DISPLAY REQUIREMENTS


The display may sit on a table or on the floor. Table space will be assigned unless otherwise requested on the Entry Blank.

Displays must be **sturdy and self-supporting**. The backboard may be made of any suitable material. Suggested materials are foamcore, tag, and poster board.



Display Examples

Students should display all parts of the scientific method on their displays in a logical order on display board. The title should represent the project. Subtitles should be included to represent the information displayed. Displays should be neat with limited use of colors. Pictures should be added to the display to illustrate the procedure used or the results obtained.



PROJECT DISPLAY SAMPLE

Purpose

The purpose of this project is to determine what effect termites has on three select resinous surfaces....

Hypothesis

It is expected that the oak surface.....

Experiment

1. Cut three(3) boards of oak, pine and redwood, two (2) inches by six (6) inches each.
2. Collect.....

Abstract

Title: The Effects of Genus Termites on Resinous Surfaces
Name: Jones, Joseph M.
Address: 222 West Main St. Anywhere, Florida and so on...

DATA

Information

Termites There are no solitary termites. A termite colony may number from 100 to more than....

one million individuals. A single colony consists of a diverse... ..

Pictures

Graphs

Diagrams

Oak

Pine

Redwood

Results

The boards were observed each evening at 6 p.m. over a period of 15 days. On Day 1, thirty-five (35) termites were visible on the pine board. On Day 2,
 After a period of fifteen (15) days,

Graphs

Oak

Pine

Redwood

Conclusion

Since the most resistant wood to termite destruction is....., it is clear that termites prefer pine, due to the high content of cellulose found in a softwood. Redwood, on the other hand, ...

Application

The Southern Standard Building Code identifies redwood for its strength, durability, and resistance to adverse weather conditions; however,